BATCH# I2CT.1.US.

PYRIPROXYFEN	GROUP	7C	INSECTICIDE
Beauveria bassiana Strain GHA	GROUP	UN	INSECTICIDE

In2Mix®

For Use In The In2Care® Mosquito Station

Controls Aedes mosquitoes that may transmit Zika, Chikungunya, and Dengue Fever

Controls container-breeding *Culex* larvae that could develop into adults that may transmit West Nile virus Kills *Aedes* and *Culex* adult mosquitoes within 9 days

Controls mosquito larvae in surrounding breeding places

THIS PRODUCT IS NOT INTENDED FOR HOMEOWNERS READ ALL LABEL DIRECTIONS COMPLETELY BEFORE USE

Active Ingredients:	% w/w
Pyriproxyfen (CAS No. 95737-68-1)	74.03%
Beauveria bassiana strain GHA* (CAS No. 63428-82-0)	10.00%
Other Ingredients	15.97%
Total	100.00%

* Contains not less than 4.5 X 10" viable spores/gm.

KEEP OUT OF REACH OF CHILDREN CAUTION

SEE LABEL BOOKLET FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND COMPLETE DIRECTIONS FOR USE

F	IRS	5	T	A	H	D							
		_						 	_		_	 	 _
							_			_			

If in Eyes

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For emergency information concerning this product, call the poison control center at 1-800-222-1222. For non-emergency general information on this product, call the National Pesticides Information Center (NPIC) at 1-800-858-7378.

PRECAUTIONARY STATEMENTS HAZARD TO HUMAN AND DOMESTIC ANIMALS

Causes moderate eye irritation. Avoid contact with eyes, or clothing. Wear appropriate protective eyewear. Avoid breathing dust. Remove and wash contaminated clothing before reuse. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Keep this product in its tightly closed original container when not in use. Store in a cool, dry, well-ventilated area that is inaccessible to children and animals. For optimal long-term storage, do not store above 73° F (23° C). Store this product in a place away from strong bases, strong acids, sources of ignition and direct sunlight. During transport and field use, keep In2Mix® packages below 110° F (43° C) at all times by avoiding sunlight and heat, and using isolation packaging.

PESTICIDE DISPOSAL: Dispose of used gauze in a sanitary landfill, or by other procedures approved by state and local authorities. Dispose of used water by the **In2Care® Mosquito Station** by pouring onto the ground, and not near a water source. Prevent entry of used water into sewers, gutters, or drains, or any area where drainage to storm sewers, water bodies, or aquatic habitat can occur. Notify authorities if liquid enters sewers or public waters.

CONTAINER HANDLING: Non-refillable container. Completely empty **In2Mix®** package into the **In2Care® Mosquito Station** by shaking and tapping sides and bottom to loosen clinging particles. When completely empty, dispose of empty package in trash or by other procedures approved by state and local authorities.



EPA Reg. No.: 91720-1 EPA Est. No.: 91720-NLD-1

Net Weight: 12.5 g (0.44 oz.)

25 packages x 0.5 g each (0.018 oz.)

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal

PESTICIDE STORAGE: Keep this product in its tightly closed original container when not in use. Store in a cool, dry, well-ventilated area that is inaccessible to children and animals. For optimal long-term storage, do not store above 73° F (23° C). Store this product in a place away from strong bases, strong acids, sources of ignition and direct sunlight. During transport and field use, keep In2Mix® packages below 110° F (43° C) at all times by avoiding sunlight and heat, and using isolation packaging.

PESTICIDE DISPOSAL: Dispose of used gauze in a sanitary landfill, or by other procedures approved by state and local authorities. Dispose of used water by the In2Care* Mosquito Station by pouring onto the ground, and not near a water source. Prevent entry of used water into sewers, gutters, or drains, or any area where drainage to storm sewers, water bodies, or aquatic habitat can occur. Notify authorities if liquid enters sewers or public waters

CONTAINER HANDLING: Non-refillable container. Completely empty In2Mix® package into the In2Care® Mosquito Station by shaking and tapping sides and bottom to loosen clinging particles. When completely empty, dispose of empty package in trash or by other procedures approved by state and local

NOTICE: To the extent consistent with applicable law, buyer and user assume all risks and liability of use, storage and/or handling of this product not in accordance with the terms of this label.



Manufactured by: In2Care B.V. Marijkeweg 22, 6709 PG EPA Reg. No.: 91720-1 EPA Est. No.: 91720-NLD-1

Net Weight: 12.5 g (0.44 oz.) 25 packages x 0.5 g each (0.018 oz.)

Buildiolo

before removing. As soon as possible, wash thoroughly and change into clean Remove PPE immediately after handling this product. Wash the outside of gloves Sug bru ou ciesu ciouriud

Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly . Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet

Applicators and other handlers should:

USER SAFETY RECOMMENDATIONS

tions for washables exist, use detergent and hot water. Keep and wash PPE separately Follow the manufacturer's instructions for cleaning/maintaining PPE. If no such instruc-

proved powered air purifying respirator with an HE filter (NiOSH approval number prefix $TC ext{-}31\text{C}$).

- in eddition, all applicators and handlers must ween a MiOSH-approved particulate respirator with any N, R, or P filter (MiOSH approval number prefix TC 84A); or a MiOSH-ap-

 - zuosa bina socica
 - · Waterproof gloves, and
 - Alt applicators and handlers must wear;
 Long-sleeved shirt and long parits;

PERSONAL PROTECTIVE EQUIPMENT (PPE)

may cause affergic reactions in some individuals. use. Wash thoroughly with soap and water after handling and before eating, drinking, che-wing gum, using tobacco, or using the foller. Prolonged or frequently repeated skin contact Ceuses moderate eye intitation. Avoid confact with eyes, or clothing, West appropriate pro-fective eyewear. Avoid breathing dust. Remove and wash contaminated clothing before re-

HAZARD TO HUMAN AND DOMESTIC ANIMALS PRECAUTIONARY STATEMENTS

product, call the National Peaticides information Center (NPIC) at 1-800-858-7378 to or going for treatment. For emergency information concerning this product, cell the poisson control center at 1-800-522-1222. for non-emergency grenter information on this program. Have the product container or label with you when calling a poison control center or doc-

HOT LINE NUMBER

Hemove contact lenees, it present, after the first 5 minutes, then continu-ringing eye. Call a polson control center or doctor for treatment advice. Hold eye open and tinze slowly and gently with water for 15-20 minutes.

It in Eyes

GIA TZRIT

PYRIPROXYFEN	GROUP	/€	INSECTICIDE
Beeuverle bassiene Strein GHA	GROUP	UN	INSECTICIDE

In2Mix®

For use in the In2Care® Mosquito Station

Controls Aedes mosquitoes that may transmit Zika, Chikungunya, and Dengue Fever

Controls container-breeding Culex larvae that could develop into adults that may transmit West Nile virus

Kills Aedes and Culex adult mosquitoes within 9 days

Controls mosquito farvae in surrounding breeding places

THIS PRODUCT IS NOT INTENDED FOR HOMEOWNERS SHAKE In2Mix® PACKAGE BEFORE USE READ ALL LABEL DIRECTIONS COMPLETELY BEFORE USE

Active Ingredients:	% w/w
Pyriproxyfen (CAS No. 95737-68-1)	74.03%
Beauveria bassiana strain GHA* (CAS No. 63428-82-0)	10.00%
Other ingredients	15.97%
Total	100.00%

Contains not less than 4.5 X 10° viable spores/gm

KEEP OUT OF REACH OF CHILDREN CAUTION

SEE LABEL BOOKLET FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND COMPLETE DIRECTIONS FOR USE

tor up to 6 weeks per sacher and prevent Culex adult emergence for up to 4 weeks. in 2Mix powder. Therefore, dead adult mosquitoes may not be found in the In2Care® Mosquito Station. In2Care® Mosquito Station. The adulticide contained in the InziMix*powder slowly kills adult Aedes and Culex app. Mosquitoes. Containingted mosquitoes will die within 9 days following exposure to

the In2Care®Mosquito Station.

After Isying eggs, the adult Aedes and Colex spp. mosquitoes are contaminated with the MXCata Nament of the ImXCata Mosquito Station to lay more eggs with MXM the MXCata Nament of the ImXCata Nament of the ImXCata Nament of the MXCata Nament of the MXCata Nament of the Nament of Nament of

The growth regulator kills the Aedes and Culex app, larvee that emerge from eggs laid in-aide the InzCare* Masquito Station prior to transforming into adults. This means that it ra normal to see small living larvee in the InzCare* Masquito Station that will eventually die.

pizmix, bowdet contains a growth regulator and slow acting additioner.

HOW IT WORKS

- DO NOT allow people or pets to contact the pesticide.
 - FOR OUTDOOR USE ONLY.
 - SHAKE In2Mix[®] PACKAGE BEFORE USE.
- BEAD ALL LABEL DIRECTIONS COMPLETELY BEFORE USE.

It is a violation of Federal taw to use this product in a manner inconsistent with its labeling. DIKECTIONS FOR USE

on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area. This product is highly toxic and may be pathogenic to bees exposed to direct treatment

occur. Do not allow the product to enter any drain during or after application. Do not contaminate water by cleaning of equipment or disposal of equipment or to one contaminate water by cleaning to sporting directly into sewers or dishing, or to any sites like a guiter where dishinage to storm sewers, water bodies, or aqualic habital can site like a guiter where dishinage to storm sewers, water bodies, or aqualic habital can where surface water is present or to intertidal areas below the mean high-water mark Luia buogneti is toxic to tieti suo adristie tuvetteniates, no uot abbit directivito ateas

ENVIRONMENTAL HAZARDS

HOW TO ASSEMBLE THE IN2CARE® MOSQUITO STATION



In2Mix

package









Base Lid

Floater

Time indicator

STEP 1:

 Fill the base of the In2Care* Mosquito Station with 5 quarts (4.7 liters) of clean tap water.



 SHAKE THE In2Mix® PACKAGE THOR-OUGHLY. Open by tearing at the notches and gently take out the powdercoaled gauze strip



 Empty the remaining contents (powder and odor tablets) of the In2MIx* package into the water in the base of the In2Care* Moaquito Station. Do not allow the gauze to get wet.



STEP 2:


 To attach the In2MIx* gauze strip to the floater, slide the loop at the end of the gauze over the pin as shown. Handle the gauze carefully to avoid removal of the active powders.



Wrap the gauze around the floater and slide the other gauze loop on the last pin as shown. Work your way around moving the gauze down at each pin.




 Push the gauze down the pins until it will go no further (where the bottom of the pin hits the circular rib). The rib will prevent the gauze from sliding down too far.



STEP 3:

 Place the assembled floater inside the base of the in2Care Mosquito Station by gently placing it over the central tube flat onto the water.





Place the fid on the central tube, push it down and turn it clockwise.




 Turn the time indicator to the number of the current month as a service reminder



WHERE TO PLACE

 Place the water-filled In2Care® Mosquito Station outside on the ground in a level, shaded location near human habitation. Avoid locations with direct sunlight; continuous shade is needed.




For hest results, remove and/or empty artificial water containers (e.g., flower pots, plastic cups, car tires, etc.) and natural breeding sites (e.g., puddles, tree holes, etc.). Larger water bodies that cannot be removed or emptied should be (frequently) treated with appropriate mosquito larylicides.

For optimal coverage, place at least 1 in 2 Care* Moaquito Station every 4,300 aq. feet (400 sq. meters), or at least 10 stations per acre in areas where Aedes and/or Culex spp. mosquifoes breeding can be expected. Do not exceed 15 stations per acre.



 When necessary, stability can be improved by securing the In2Care® Mosquito Station to the ground with the following:

- Wire bracket, available separately from the distributor, which snaps onto the base. The wire bracket can be screwed onto a surface or fixed with a ground pin.
- b. Zip tie (not included), Zip Tie spec; width: 4.8mm length: 600mm. The loop can be fied to a pin or hook.
- c. The base may also be attached to a pole, shrub or tree by using zip ties or a small rope tred through the holes in the rim of the base.






(1)

NOTE: Aedes and Cufex spp. Mosquitoes can have very specific breeding preferences within certain locations. Check for the presence of live and dead mosquito farvae inside the In2Care* Mosquito Station every 4 to 6 weeks. When a station continuously has zero or much fewer larvae when compared to other nearby stations, the unaftractive station should be relocated to another nearby shaded location.

MAINTAINING THE IN2CARE® MOSQUITO STATION

 Re-visit each In2Care® Mosquito Station every 4 to 6 weeks for Aedes mosquitoes. For optimal control of Culex mosquitoes, service the stations every 4 weeks. Remove the fid by turning counterclockwise until it stops and lift up.



 Take out the floater and dispose of the used gauze and water as indicated in the STORAGE AND DISPOSAL section of this that





 Remove leaves or other debris that may have fallen into the base of the In2Care®Mosquito Station. Refill the station with 5 quarts (4.7 liters) of clean tap water.



 Take a new in2Mix* package and repeat Steps 1 & 2 in HOW TO ASSEMBLE.

